AUTHOR INDEX

A

Abbott, J. *See* Stavnezer, Sirlin, and Abbott.

Acuto, O., Campen, T. J., Royer, H. D., Hussey, R. E., Poole, C. B., and Reinherz, E. L. Molecular analysis of T cell receptor (Ti) variable region (V) gene expression. Evidence that a single Ti β V gene family can be used in formation of V domains on phenotypically and functionally diverse T cell populations. 1326

Adams, J. S., and Gacad, M. A. Characterization of 1α-hydroxylation of vitamin D_3 sterols by cultured alveolar macrophages from patients with sarcoidosis. 755

Aderem, A. A., Wright, S. D., Silverstein, S. C., and Cohn, Z. A. Ligated complement receptors do not activate the arachidonic acid cascade in resident peritoneal macrophages. 617

Agarwal, S. *See* Boersch-Supan, Agarwal, White-Scharf, and Imanishi-Kari.

Aguado, M. T. *See* Hang, Aguado, Dixon, and Theofilopoulos.

Alderete, J. F. *See* Thomas, Baseman, and Alderete.

Aldritt, S. M., Tien, P., and Wang, C. C. Pyrimidine salvage in *Giardia lamblia*. 437

Alper, R. *See* Clayman, Martinez-Hernandez, Michaud, Alper, Mann, Kefalides, and Neilson.

Alvarez, F., Bernard, O., Homberg, J. C., and Kreibich, G. Anti-liver-kidney microsome antibody recognizes a 50,000 molecular weight protein of the endoplasmic reticulum. 1231

Anand, R. *See* McBride, Newbold, and Anand.

Anderson, A. O. *See* Potter, Wax, Anderson, and Nordan.

Anderson, V. E. *See* Panter, Sadrzadeh, Hallaway, Haines, Anderson, and Eaton.

Antin, J. H. *See* Ault, Antin, Ginsberg, Orkin, Rappeport, Keohan, Martin, and Smith.

Ardman, B., Khiroya, R. H., and Schwartz, R. S. Recognition of a leukemia-related antigen by an antiidiotypic antiserum to an anti-gp70 monoclonal antibody. 669

Ashwell, J. D. *See* Malek and Ashwell.

Atkinson, J. P. *See* Rodriguez de Cordoba, Lublin, Rubinstein, and Atkinson.

Ault, K. A., Antin, J. H., Ginsberg, D., Orkin, S. H., Rappeport, J. M., Keohan, M. L., Martin, P., and Smith, B. R. Phenotype of recovering lymphoid cell populations after marrow transplantation. 1483

B

Baggiolini, M. *See* Clemetson, McGregor, McEver, Jacques, Bainton, Domzig, and Baggiolini.

Bainton, D. F. *See* Clemetson, McGregor, McEver, Jacques, Bainton, Domzig, and Baggiolini.

Barbour, A. G. *See* Barstad, Coligan, Raum, and Barbour.

Barstad, P. A., Coligan, J. E., Raum, M. G., and Barbour, A. G. Variable major proteins of *Borrelia hermsii*. Epitope mapping and partial sequence analysis of CNBr peptides. 1302

Baseman, J. B. *See* Thomas, Baseman, and Alderete.

Beachey, E. H. *See* Dale and Beachey.

Bearn, A. G., Dixon, F. J., and Benaccerraf, B. Henry G. Kunkel. An appreciation of the man and his scientific contributions and a bibliography of his research papers. 869

Begley, C. G. *See* Burns, Triglia, Werkmeister, Begley, and Boyd.

Beisel, K. W. *See* Wolfgram, Beisel, and Rose.

Benaccerraf, B. *See* Bearn, Dixon, and Benaccerraf.

—, *See* Sy, Hayglass, and Benacerraf.

Benyajati, C. *See* Stevenson, Dekaban, Miller, Benyajati, and Pearson.

Berger, M. *See* Marom, Shelhamer, Berger, Frank, and Kaliner.

Bernard, O. *See* Alvarez, Bernard, Homberg, and Kreibich.

Bertness, V. *See* Caccia, Bruns, Kirsch, Hollis, Bertness, and Mak.

Beschorner, W. E. *See* Hess, Horwitz, Beschorner, and Santos.

Beutler, B., Mahoney, J., Le Trang, N., Pekala, P., and Cerami, A. Purification of cachectin, a lipoprotein lipase-suppressing hormone secreted by endotoxin-induced RAW 264.7 cells. 984

Biddison, W. E. *See* Jacobson, Nepom, Richert, Biddison, and McFarland.

Bigler, R. D., Posnett, D. N., and Chiorazzi, N. Stimulation of a subset of normal resting T lymphocytes by a monoclonal antibody to a cross-reactive determinant of the human T cell antigen receptor. 1450

Boersch-Supan, M. E., Agarwal, S., White-Scharf, M. E., and Imanishi-Kari, T. Heavy chain variable region. Multiple gene segments encode anti-4-(hydroxy-3-nitrophenyl)acetyl idiotypic antibodies. 1272

Bohnsack, J. F., Kleinman, H. K., Takahashi, T., O'Shea, J. J., and Brown, E. J. Connective tissue proteins and phagocytic cell function. Laminin enhances complement and Fc-mediated phagocytosis by cultured human macrophages. 912

Bonyhadi, M. *See* Reynolds, Bonyhadi, Herberman, Young, and Hedrick.

Boyd, A. W. *See* Burns, Triglia, Werkmeister, Begley, and Boyd.

Braley-Mullen, H. Regulation of IgG memory responses by helper and suppressor T cells activated by the type 2 antigen, polyvinylpyrrolidone. 1357

Bridges, S. *See* Kruisbeek, Mond, Fowlkes, Carmen, Bridges, and Longo.

Brouet, J.-C. *See* Lantz, Grillot-Courvalin, Schmitt, Fermand, and Brouet.

Brown, E. J. *See* Bohnsack, Kleinman, Takahashi, O'Shea, and Brown.

Broxmeyer, H. E. *See* Levene, Lamaziere, Broxmeyer, Lu, and Rabellino.

Bruns, G. A. P. *See* Caccia, Bruns, Kirsch, Hollis, Bertness, and Mak.

Brunswick, M., and Lake, P. Obligatory role of gamma interferon in T cell-replacing factor-dependent, antigen-specific murine B cell responses. 953

Bukowski, J. F., and Welsh, R. M. Interferon enhances the susceptibility of virus-infected fibroblasts to cytotoxic T cells. 257

—, Warner, J. F., Dennert, G., and Welsh, R. M. Adoptive transfer studies demonstrating the antiviral effect of natural killer cells in vivo. 40

Bunn, P. *See* Doyle, Martin, Funa, Gazdar, Carney, Martin, Linnoila, Cuttitta, Mulshine, Bunn, and Minna.

Burns, G. F., Triglia, T., Werkmeister, J. A., Begley, C. G., and Boyd, A. W. TLiSA1, a human T lineage-specific activation antigen involved in the differentiation of cytotoxic T lymphocytes and anomalous killer cells from their precursors. 1063

Butel, J. S. *See* Kennedy, Dreesman, Butel, and Lanford.

C

Caccia, N., Bruns, G. A. P., Kirsch, I. R., Hollis, G. F., Bertness, V., and Mak, T. W. T cell receptor α chain genes are located on chromosome 14 at 14q11-14q12 in humans. 1255

Campen, T. J. *See* Acuto, Campen, Royer, Hussey, Poole, and Reinherz.

Cancro, M. P. *See* Raychaudhuri and Cancro.

Cantor, H. *See* Friedman, Sillcocks, Rao, Faas, and Cantor.

Carmen, J. A. *See* Kruisbeek, Mond, Fowlkes, Carmen, Bridges, and Longo.

Carney, D. *See* Doyle, Martin, Funa, Gazdar, Carney, Martin, Linnoila, Cuttitta, Mulshine, Bunn, and Minna.

Carson, D. A. *See* Chen, Fong, Houghten, and Carson.

Cerami, A. *See* Beutler, Mahoney, Le Trang, Pekala, and Cerami.

Cheever, M. A. *See* Greenberg, Kern, and Cheever.

Chen, P. P., Fong, S., Houghten, R. A., and Carson, D. A. Characterization of an epibody. An antiidiotype that reacts with both the idiotype of rheumatoid factors (RF) and the antigen recognized by RF. 323

Chin, J. R. *See* Sundsmo, Chin, Papin, Fair, and Werb.

Chiorazzi, N. *See* Bigler, Posnett, and Chiorazzi.

Clarke, S. H., Huppi, K., Ruezinsky, D., Staudt, L., Gerhard, W., and Weigert, M. Inter- and intraclonal diversity in the antibody response to influenza hemagglutinin. 687

Clayman, M. D., Martinez-Hernandez, A., Michaud, L., Alper, R., Mann, R., Kefalides, N. A., and Neilson, E. G. Isolation and characterization of the nephritogenic antigen producing anti-tubular basement membrane disease. 290

Cleary, M. L. *See* Siegelman, Cleary, Warnke, and Sklar.

Clemetson, K. J., McGregor, J. L., McEver, R. P., Jacques, Y. V., Bainton, D. F., Domzig, W., and Baggiolini, M. Absence of platelet membrane glycoproteins IIb/IIIa from monocytes. 972

Cohen, P. L., Rapoport, R. G., and Eisenberg, R. A. Hidden autoantibodies against common serum proteins in murine systemic lupus erythematosus. Detection by in vitro plaque-forming cell assay. 1587

Cohn, M. *See* Epstein, Roehm, Marrack, Kappler, Davis, Hedrick, and Cohn.

Cohn, Z. A. *See* Aderem, Wright, Silverstein, and Cohn.

—, *See* Lepay, Nathan, Steinman, Murray, and Cohn.

—, *See* Lepay, Steinman, Nathan, Murray, and Cohn.

Coligan, J. E. *See* Barstad, Coligan, Raum, and Barbour.

Conlon, P. J. *See* Kronheim, March, Erb, Conlon, Mochizuki, and Hopp.

Connolly, T. *See* Sairenji, Reisert, Spiro, Connolly, and Humphreys.

Coulie, P. G., and Van Snick, J. Rheumatoid factor (RF) production during anamnestic immune responses in the mouse. III. Activation of RF precursor cells is induced by their interaction with immune complexes and carrier-specific helper T cells. 88

Croce, C. *See* Sukhatme, Vollmer, Erickson, Isobe, Croce, and Parnes.

Cuttitta, F. *See* Doyle, Martin, Funa, Gazdar, Carney, Martin, Linnoila, Cuttitta, Mulshine, Bunn, and Minna.

D

Dale, J. B., and Beachey, E. H. Multiple, heart-cross-reactive epitopes of streptococcal M proteins. 113

Damle, S. P. *See* Fillit, Damle, Gregory, Volin, Poon-King, and Zabriskie.

Davidson, W. F. *See* Morse, Roths, Davidson, Langdon, Fredrickson, and Hartley.

Davis, M. *See* Epstein, Roehm, Marrack, Kappler, Davis, Hedrick, and Cohn.

Deb, S. *See* Viola, Fromowitz, Oravez, Deb, and Schlom.

Degliantoni, G., Perussia, B., Mangoni, L., and Trinchieri, G. Inhibition of bone marrow colony formation by human natural killer cells and by natural killer cell-derived colony-inhibiting activity. 1152

Dekaban, G. A. *See* Stevenson, Dekaban, Miller, Benyajati, and Pearson.
Dennert, G. *See* Bukowski, Warner, Dennert, and Welsh.
—, *See* Schulz, Staffileno, Reisfeld, and Dennert.
—, *See* Warner and Dennert.
Depper, J. M. *See* Krönke, Leonard, Depper, and Greene.
Diamantstein, T. *See* Yodoi, Okada, Tagaya, Teshigawara, Fukui, Ishida, Ikuta, Maeda, Honjo, Osawa, Diamantstein, Tateno, and Yoshiki.
Dimmock, N. J. *See* Taylor and Dimmock.
Dixon, F. J. *See* Bearn, Dixon, and Benaccerraf.
—, *See* Hang, Aguado, Dixon, and Theofilopoulos.
—, *See* Kofler, Noonan, Levy, Wilson, Møller, Dixon, and Theofilopoulos.
Domzig, W. *See* Clemetson, McGregor, McEver, Jacques, Bainton, Domzig, and Baggiolini.
Doyle, A., Martin, W. J., Funa, K., Gazdar, A., Carney, D., Martin, S. E., Linnoila, I., Cuttitta, F., Mulshine, J., Bunn, P., and Minna, J. Markedly decreased expression of class I histocompatibility antigens, protein, and mRNA in human small-cell lung cancer. 1135
Dreesman, G. R. *See* Kennedy, Dreesman, Butel, and Lanford.
Duggan, D. *See* Naparstek, Duggan, Schattner, Madaio, Goni, Frangione, Stollar, Kabat, and Schwartz.

E

Eaton, J. W. *See* Panter, Sadrzadeh, Hallaway, Haines, Anderson, and Eaton.
Eichmann, K. *See* Emmrich, Schilling, and Eichmann.
Eisenberg, R. A. *See* Cohen, Rapoport, and Eisenberg.
Emmrich, F., Schilling, B., and Eichmann, K. Human immune response to group A streptococcal carbohydrate (A-CHO). I. Quantitative and qualitative analysis of the A-CHO-specific B cell population responding in vitro to polyclonal and specific activation. 547
Epstein, R., Roehm, N., Marrack, P., Kappler, J., Davis, M., Hedrick, S., and Cohn, M. Genetic markers of the antigen-specific T cell receptor locus. 1219
Erb, S. K. *See* Kronheim, March, Erb, Conlon, Mochizuki, and Hopp.
Erickson, J. *See* Sukhatme, Vollmer, Erickson, Isobe, Croce, and Parnes.

F

Faas, S. *See* Friedman, Sillcocks, Rao, Faas, and Cantor.
Fabre, J. W. *See* Milton and Fabre.
Faherty, D. A., Johnson, D. R., and Zauderer, M. Origin and specificity of autoreactive T cells in antigen-induced populations. 1293
Fair, D. S. *See* Sundsmo, Chin, Papin, Fair, and Werb.
Fauci, A. S. *See* Muraguchi, Kehrl, Longo, Volkman, Smith, and Fauci.
Fermand, J.-P. *See* Lantz, Grillot-Courvalin, Schmitt, Fermand, and Brouet.
Fillit, H., Damle, S. P., Gregory, J. D., Volin, C., Poon-King, T., and Zabriskie, J. Sera from patients with poststreptococcal glomerulonephritis contain antibodies to glomerular heparan sulfate proteoglycan. 277
Fischetti, V. A., Jones, K. F., and Scott, J. R. Size variation of the M protein in group A streptococci. 1384
—, *See* Jones, Manjula, Johnston, Hollingshead, Scott, and Fischetti.
Fong, S. *See* Chen, Fong, Houghten, and Carson.
Forman, J. *See* Stroynowski, Forman, Goodenow, Schiffer, McMillan, Sharrow, Sachs, and Hood.
Fowlkes, B. J. *See* Kruisbeek, Mond, Fowlkes, Carmen, Bridges, and Longo.
Frangione, B. *See* Naparstek, Duggan, Schattner, Madaio, Goni, Frangione, Stollar, Kabat, and Schwartz.
Frank, M. *See* Marom, Shelhamer, Berger, Frank, and Kaliner.
Fredrickson, T. N. *See* Morse, Roths, Davidson, Langdon, Fredrickson, and Hartley.
Friedman, S., Sillcocks, D., Rao, A., Faas, S., and Cantor, H. A subset of Ly-1 inducer T cell clones activates B cell proliferation but directly inhibits subsequent IgG secretion. 785
Fromowitz, F. *See* Viola, Fromowitz, Oravez, Deb, and Schlom.
Fu, S. M. *See* Hara and Fu.
—, *See* Hara, Fu, and Hansen.
Fujii, M. *See* Sugamura, Nakai, Fujii, and Hinuma.
Fuks, A., and Zucker-Franklin, D. Impaired Kupffer cell function precedes development of secondary amyloidosis. 1013
Fukui, K. *See* Yodoi, Okada, Tagaya, Teshigawara, Fukui, Ishida, Ikuta, Maeda, Honjo, Osawa, Diamantstein, Tateno, and Yoshiki.
Fukuma, K. *See* Sakaguchi, Fukuma, Kuribayashi, and Masuda.
Funa, K. *See* Doyle, Martin, Funa, Gazdar, Carney, Martin, Linnoila, Cuttitta, Mulshine, Bunn, and Minna.

G

Gabay, J. E., and Horwitz, M. A. Isolation and characterization of the cytoplasmic and outer membranes of the Legionnaires' disease bacterium (*Legionella pneumophila*). 409
Gacad, M. A. *See* Adams and Gacad.
Gaudernack, G. *See* Paulsen, Qvigstad, Gaudernack, Rask, Winchester, and Thorsby.
Gazdar, A. *See* Doyle, Martin, Funa, Gazdar, Carney, Martin, Linnoila, Cuttitta, Mulshine, Bunn, and Minna.
Gerberick, G. F., Willoughby, J. B., and Willoughby, W. F. Serum factor requirement for reactive oxygen intermediate release by rabbit alveolar macrophages. 392

Gerhard, W. *See* Clarke, Huppi, Ruezinsky, Staudt, Gerhard, and Weigert.

Ginsberg, D. *See* Ault, Antin, Ginsberg, Orkin, Rappeport, Keohan, Martin, and Smith.

Goidl, E. A. *See* Kim, Goidl, Samarut, Weksler, Thorbecke, and Siskind.

Golde, W. T., Kappler, J. W., Greenstein, J., Malissen, B., Hood, L., and Marrack, P. Major histocompatibility complex-restricted antigen receptor on T cells. VIII. Role of the LFA-1 molecule. 635

Goldmann, D. A. *See* Guerina, Langermann, Schoolnik, Kessler, and Goldmann.

Goni, F. *See* Naparstek, Duggan, Schattner, Madaio, Goni, Frangione, Stollar, Kabat, and Schwartz.

Goodenow, R. S. *See* Stroynowski, Forman, Goodenow, Schiffer, McMillan, Sharrow, Sachs, and Hood.

Gordon, S. *See* Lee, Starkey, and Gordon.

Greenberg, P. D., Kern, D. E., and Cheever, M. A. Therapy of disseminated murine leukemia with cyclophosphamide and immune Lyt-1$^+$,2$^-$ T cells. Tumor eradication does not require participation of cytotoxic T cells. 1122

Greene, W. C. *See* Krönke, Leonard, Depper, and Greene.

Greenstein, J. *See* Golde, Kappler, Greenstein, Malissen, Hood, and Marrack.

Gregory, J. D. *See* Fillit, Damle, Gregory, Volin, Poon-King, and Zabriskie.

Grillot-Courvalin, C. *See* Lantz, Grillot-Courvalin, Schmitt, Fermand, and Brouet.

Guerina, N. G., Langermann, S., Schoolnik, G. K., Kessler, T. W., and Goldmann, D. A. Purification and characterization of *Haemophilus influenzae* pili, and their structural and serological relatedness to *Escherichia coli* P and mannose-sensitive pili. 145

H

Haines, J. L. *See* Panter, Sadrzadeh, Hallaway, Haines, Anderson, and Eaton.

Hall, B. M. Mechanisms maintaining enhancement of allografts. I. Demonstration of a specific suppressor cell. 123

Hallaway, P. E. *See* Panter, Sadrzadeh, Hallaway, Haines, Anderson, and Eaton.

Hang, L., Aguado, M. T., Dixon, F. J., and Theofilopoulos, A. N. Induction of severe autoimmune disease in normal mice by simultaneous action of multiple immunostimulators. 423

Hansen, J. A. *See* Hara, Fu, and Hansen.

Hara, T., and Fu, S. M. Human T cell activation. I. Monocyte-independent activation and proliferation induced by anti-T3 monoclonal antibodies in the presence of tumor promoter 12-*o*-tetradecanoyl phorbol-13-acetate. 641

—, Fu, S. M., and Hansen, J. A. Human T cell activation. II. A new activation pathway used by a major T cell population via a disulfide-bonded dimer of a 44 kilodalton polypeptide (9.3 antigen). 1513

Hardy, R. R. *See* Hayakawa, Hardy, Herzenberg, and Herzenberg.

Hartley, J. W. *See* Morse, Roths, Davidson, Langdon, Fredrickson, and Hartley.

Hayakawa, K., Hardy, R. R., Herzenberg, L. A., and Herzenberg, L. A. Progenitors for Ly-1 B cells are distinct from progenitors for other B cells.

Hayglass, K. T. *See* Sy, Hayglass, and Benacerraf.

Hedrick, S. M. *See* Reynolds, Bonyhadi, Herberman, Young, and Hedrick.

Hedrick, S. *See* Epstein, Roehm, Marrack, Kappler, Davis, Hedrick, and Cohn.

Heiny, S. *See* Joiner, Heiny, Kirchhoff, and Sher.

Herberman, R. B. *See* Reynolds, Bonyhadi, Herberman, Young, and Hedrick.

Herzenberg, L. A. *See* Hayakawa, Hardy, Herzenberg, and Herzenberg.

—, *See* Hayakawa, Hardy, Herzenberg, and Herzenberg.

—, *See* Kipps, Parham, Punt, and Herzenberg.

Hess, A. D., Horwitz, L., Beschorner, W. E., and Santos, G. W. Development of graft-vs.-host disease-like syndrome in cyclosporine-treated rats after syngeneic bone marrow transplantation. I. Development of cytotoxic T lymphocytes with apparent polyclonal anti-Ia specificity, including autoreactivity. 718

Hinuma, Y. *See* Sugamura, Nakai, Fujii, and Hinuma.

Hollingshead, S. K. *See* Jones, Manjula, Johnston, Hollingshead, Scott, and Fischetti.

Hollis, G. F. *See* Caccia, Bruns, Kirsch, Hollis, Bertness, and Mak.

Holzmann, B., Johnson, J. P., Kaudewitz, P., and Riethmüller, G. In situ analysis of antigens on malignant and benign cells of the melanocyte lineage. Differential expression of two surface molecules, gp75 and p89. 366

Homberg, J. C. *See* Alvarez, Bernard, Homberg, and Kreibich.

Honjo, T. *See* Yodoi, Okada, Tagaya, Teshigawara, Fukui, Ishida, Ikuta, Maeda, Honjo, Osawa, Diamantstein, Tateno, and Yoshiki.

Hood, L. *See* Golde, Kappler, Greenstein, Malissen, Hood, and Marrack.

—, *See* Stroynowski, Forman, Goodenow, Schiffer, McMillan, Sharrow, Sachs, and Hood.

Hopp, T. P. *See* Kronheim, March, Erb, Conlon, Mochizuki, and Hopp.

Hornbeck, P. V., and Lewis, G. K. Idiotype connectance in the immune system. II. A heavy chain variable region idiotope that dominates the antibody response to the *p*-azobenzenearsonate group is a minor idiotope in the response to trinitrophenyl group. 53

Horwitz, L. *See* Hess, Horwitz, Beschorner, and Santos.

Horwitz, M. A. *See* Gabay and Horwitz.

Houghten, R. A. *See* Chen, Fong, Houghten, and Carson.

Humphreys, R. E. *See* Sairenji, Reisert, Spiro, Connolly, and Humphreys.

Huppi, K. *See* Clarke, Huppi, Ruezinsky, Staudt, Gerhard, and Weigert.

Hussey, R. E. *See* Acuto, Campen, Royer, Hussey, Poole, and Reinherz.

Hyypiä, T., Korkiamäki, P., and Vainionpää, R. Replication of measles virus in human lymphocytes. 1261

I

Ikuta, K.-I. *See* Yodoi, Okada, Tagaya, Teshigawara, Fukui, Ishida, Ikuta, Maeda, Honjo, Osawa, Diamantstein, Tateno, and Yoshiki.

Imanishi-Kari, T. *See* Boersch-Supan, Agarwal, White-Scharf, and Imanishi-Kari.

Imboden, J. B., and Stobo, J. D. Transmembrane signalling by the T cell antigen receptor. Perturbation of the T3-antigen receptor complex generates inositol phosphates and releases calcium ions from intracellular stores. 446

Ishida, N. *See* Yodoi, Okada, Tagaya, Teshigawara, Fukui, Ishida, Ikuta, Maeda, Honjo, Osawa, Diamantstein, Tateno, and Yoshiki.

Isobe, M. *See* Sukhatme, Vollmer, Erickson, Isobe, Croce, and Parnes.

J

Jacobson, S., Nepom, G. T., Richert, J. R., Biddison, W. E., and McFarland, H. F. Identification of a specific HLA DR2 Ia molecule as a restriction element for measles virus-specific HLA class II-restricted cytotoxic T cell clones. 263

Jacques, Y. V. *See* Clemetson, McGregor, McEver, Jacques, Bainton, Domzig, and Baggiolini.

Johnson, D. R. *See* Faherty, Johnson, and Zauderer.

Johnson, J. P. *See* Holzmann, Johnson, Kaudewitz, and Riethmüller.

Johnston, K. H. *See* Jones, Manjula, Johnston, Hollingshead, Scott, and Fischetti.

Joiner, K., Heiny, S., Kirchhoff, L. V., and Sher, A. gp72, the 72 kilodalton glycoprotein, is the membrane acceptor site for C3 on *Trypanosoma cruzi* epimastigotes. 1196

Jones, K. D. *See* Robey, Jones, and Steinberg.

Jones, K. F., Manjula, B. N., Johnston, K. H., Hollingshead, S. K., Scott, J. R., and Fischetti, V. A. Location of variable and conserved epitopes among the multiple serotypes of streptococcal M protein. 623

—, *See* Fischetti, Jones, and Scott.

K

Kabat, E. A. *See* Naparstek, Duggan, Schattner, Madaio, Goni, Frangione, Stollar, Kabat, and Schwartz.

Kaliner, M. *See* Marom, Shelhamer, Berger, Frank, and Kaliner.

Kappler, J. W. *See* Golde, Kappler, Greenstein, Malissen, Hood, and Marrack.

—, *See* Epstein, Roehm, Marrack, Kappler, Davis, Hedrick, and Cohn.

Kaudewitz, P. *See* Holzmann, Johnson, Kaudewitz, and Riethmüller.

Kefalides, N. A. *See* Clayman, Martinez-Hernandez, Michaud, Alper, Mann, Kefalides, and Neilson.

Kehrl, J. F. *See* Muraguchi, Kehrl, Longo, Volkman, Smith, and Fauci.

Kennedy, R. C., Dreesman, G. R., Butel, J. S., and Lanford, R. E. Suppression of in vivo tumor formation induced by simian virus 40-transformed cells in mice receiving antiidiotypic antibodies. 1432

Keohan, M. L. *See* Ault, Antin, Ginsberg, Orkin, Rappeport, Keohan, Martin, and Smith.

Kern, D. E. *See* Greenberg, Kern, and Cheever.

Kessler, T. W. *See* Guerina, Langermann, Schoolnik, Kessler, and Goldmann.

Khiroya, R. H. *See* Ardman, Khiroya, and Schwartz.

Kim, Y. T., Goidl, E. A., Samarut, C., Weksler, M. E., Thorbecke, G. J., and Siskind, G. W. Bone marrow function. I. Peripheral T cells are responsible for the increased auto-antiidiotype response of older mice. 1237

Kipps, T. J., Parham, P. , Punt, J., and Herzenberg, L. A. Importance of immunoglobulin isotype in human antibody-dependent, cell-mediated cytotoxicity directed by murine monoclonal antibodies. 1

Kirchhoff, L. V. *See* Joiner, Heiny, Kirchhoff, and Sher.

Kirsch, I. R. *See* Caccia, Bruns, Kirsch, Hollis, Bertness, and Mak.

Kiyono, H., Mosteller-Barnum, L. M., Pitts, A. M., Williamson, S. I., Michalek, S. M., and McGhee, J. R. Isotype-specific immunoregulation. IgA-binding factors produced by Fcα receptor-positive T cell hybridomas regulate IgA responses. 731

Kleinman, H. K. *See* Bohnsack, Kleinman, Takahashi, O'Shea, and Brown.

Koen, P. *See* Lugo, Krishnan, Sailor, Koen, Malek, and Rothenberg.

Kofler, R., Noonan, D. J., Levy, D. E., Wilson, M. C., Møller, N. P. H., Dixon, F. J., and Theofilopoulos, A. N. Genetic elements used for a murine lupus anti-DNA autoantibody are closely related to those for antibodies to exogenous antigens. 805

Korkiamäki, P. *See* Hyypiä, Korkiamäki, and Vainionpää.

Korsmeyer, S. J. *See* Max and Korsmeyer.

Kreibich, G. *See* Alvarez, Bernard, Homberg, and Kreibich.

Krishnan, S. N. *See* Lugo, Krishnan, Sailor, Koen, Malek, and Rothenberg.

Kronheim, S. R., March, C. J., Erb, S. K., Conlon, P. J., Mochizuki, D. Y., and Hopp, T. P. Human interleukin 1. Purification to homogeneity. 490

Krönke, M., Leonard, W. J., Depper, J. M., and Greene, W. C. Sequential expression of genes involved in human T lymphocyte growth and differentiation. 1593

Kruisbeek, A. M., Mond, J. J., Fowlkes, B. J., Carmen, J. A., Bridges, S., and Longo, D. L. Absence of the Lyt-2$^-$, L3T4$^+$ lineage of T cells in mice

treated neonatally with anti-I-A correlates with absence of intrathymic I-A-bearing antigen-presenting cell function. 1029

Kunkel, H. G. *See* Mayer, Posnett, and Kunkel.

Kuribayashi, K. *See* Sakaguchi, Fukuma, Kuribayashi, and Masuda.

L

Lake, P. *See* Brunswick and Lake.

Lamaziere, J.-M. D. *See* Levene, Lamaziere, Broxmeyer, Lu, and Rabellino.

Lanford, R. E. *See* Kennedy, Dreesman, Butel, and Lanford.

Langdon, W. Y. *See* Morse, Roths, Davidson, Langdon, Fredrickson, and Hartley.

Langermann, S. *See* Guerina, Langermann, Schoolnik, Kessler, and Goldmann.

Lanier, L. L. *See* Phillips and Lanier.

Lantz, O., Grillot-Courvalin, C., Schmitt, C., Fermand, J.-P., and Brouet, J.-C. Interleukin 2-induced proliferation of leukemic human B cells. 1225

Le Trang, N. *See* Beutler, Mahoney, Le Trang, Pekala, and Cerami.

Lee, S.-H., Starkey, P. M., and Gordon, S. Quantitative analysis of total macrophage content in adult mouse tissues. Immunochemical studies with monoclonal antibody F4/80. 475

Leonard, W. J. *See* Krönke, Leonard, Depper, and Greene.

Lepay, D. A., Nathan, C. F., Steinman, R. M., Murray, H. W., and Cohn, Z. A. Murine Kupffer cells. Mononuclear phagocytes deficient in the generation of reactive oxygen intermediates. 1079

—, **Steinman, R. M., Nathan, C. F., Murray, H. W., and Cohn, Z. A.** Liver macrophages in murine listeriosis. Cell-mediated immunity is correlated with an influx of macrophages capable of generating reactive oxygen intermediates. 1503

Levene, R. B., Lamaziere, J.-M. D., Broxmeyer, H. E., Lu, L., and Rabellino, E. M. Human megakaryocytes. V. Changes in the phenotypic profile of differentiating megakaryocytes. 457

Levine, J. *See* Ribiero, Makoul, Levine, Robinson, and Spielman.

Levy, D. E. *See* Kofler, Noonan, Levy, Wilson, Møller, Dixon, and Theofilopoulos.

Lewis, G. K. *See* Hornbeck and Lewis.

Li, J. H. *See* Webb, Li, MacNeil, Marrack, Sprent, and Wilson.

Linnoila, I. *See* Doyle, Martin, Funa, Gazdar, Carney, Martin, Linnoila, Cuttitta, Mulshine, Bunn, and Minna.

Longo, D. L. *See* Kruisbeek, Mond, Fowlkes, Carmen, Bridges, and Longo.

—, *See* Muraguchi, Kehrl, Longo, Volkman, Smith, and Fauci.

Lopez, D. M., Pauley, R. J., and Lozzio, B. B. Interaction of the heterozygous nude gene with the asplenia trait in mammary tumorigenesis. 629

Lozzio, B. B. *See* Lopez, Pauley, and Lozzio.

Lu, L. *See* Levene, Lamaziere, Broxmeyer, Lu, and Rabellino.

Lublin, D. M. *See* Rodriguez de Cordoba, Lublin, Rubinstein, and Atkinson.

Lugo, J. P., Krishnan, S. N., Sailor, R. D., Koen, P., Malek, T., and Rothenberg, E. Proliferation of thymic stem cells with and without receptors for interleukin 2. Implications for intrathymic antigen recognition. 1048

M

MacNeil, I. *See* Webb, Li, MacNeil, Marrack, Sprent, and Wilson.

Madaio, M. P. *See* Naparstek, Duggan, Schattner, Madaio, Goni, Frangione, Stollar, Kabat, and Schwartz.

Maeda, M. *See* Yodoi, Okada, Tagaya, Teshigawara, Fukui, Ishida, Ikuta, Maeda, Honjo, Osawa, Diamantstein, Tateno, and Yoshiki.

Mahoney, J. *See* Beutler, Mahoney, Le Trang, Pekala, and Cerami.

Mak, T. W. *See* Caccia, Bruns, Kirsch, Hollis, Bertness, and Mak.

Makoul, G. T. *See* Ribiero, Makoul, Levine, Robinson, and Spielman.

Malek, T. R., and Ashwell, J. D. Interleukin 2 upregulates expression of its receptor on a T cell clone. 1575

—, *See* Lugo, Krishnan, Sailor, Koen, Malek, and Rothenberg.

Malissen, B. *See* Golde, Kappler, Greenstein, Malissen, Hood, and Marrack.

Malone, D. G. *See* Wahl, Malone, and Wilder.

Mangoni, L. *See* Degliantoni, Perussia, Mangoni, and Trinchieri.

Manjula, B. N. *See* Jones, Manjula, Johnston, Hollingshead, Scott, and Fischetti.

Mann, R. *See* Clayman, Martinez-Hernandez, Michaud, Alper, Mann, Kefalides, and Neilson.

March, C. J. *See* Kronheim, March, Erb, Conlon, Mochizuki, and Hopp.

Marom, Z., Shelhamer, J., Berger, M., Frank, M., and Kaliner, M. Anaphylatoxin C3a enhances mucous glycoprotein release from human airways in vitro. 657

Marrack, P. *See* Epstein, Roehm, Marrack, Kappler, Davis, Hedrick, and Cohn.

—, *See* Golde, Kappler, Greenstein, Malissen, Hood, and Marrack.

—, *See* Webb, Li, MacNeil, Marrack, Sprent, and Wilson.

Martin, P. *See* Ault, Antin, Ginsberg, Orkin, Rappeport, Keohan, Martin, and Smith.

Martin, S. E. *See* Doyle, Martin, Funa, Gazdar, Carney, Martin, Linnoila, Cuttitta, Mulshine, Bunn, and Minna.

Martin, W. J. *See* Doyle, Martin, Funa, Gazdar, Carney, Martin, Linnoila, Cuttitta, Mulshine, Bunn, and Minna.

Martinez-Hernandez, A. *See* Clayman, Martinez-Hernandez, Michaud, Alper, Mann, Kefalides, and Neilson.

Masuda, T. *See* Sakaguchi, Fukuma, Kuribayashi, and Masuda.

Max, E. E., and Korsmeyer, S. J. Human J chain gene. Structure and expression in B lymphoid cells. 832

Mayer, L., Posnett, D. N., and Kunkel, H. G. Human malignant T cells capable of inducing an immunoglobulin class switch. 134

McBride, J. S., Newbold, C. I., and Anand, R. Polymorphism of a high molecular weight schizont antigen of the human malaria parasite *Plasmodium falciparum*. 160

McEver, R. P. *See* Clemetson, McGregor, McEver, Jacques, Bainton, Domzig, and Baggiolini.

McFarland, H. F. *See* Jacobson, Nepom, Richert, Biddison, and McFarland.

McGhee, J. R. *See* Kiyono, Mosteller-Barnum, Pitts, Williamson, Michalek, and McGhee.

McGregor, J. L. *See* Clemetson, McGregor, McEver, Jacques, Bainton, Domzig, and Baggiolini.

McMillan, M. *See* Stroynowski, Forman, Goodenow, Schiffer, McMillan, Sharrow, Sachs, and Hood.

Michalek, S. M. *See* Kiyono, Mosteller-Barnum, Pitts, Williamson, Michalek, and McGhee.

Michaud, L. *See* Clayman, Martinez-Hernandez, Michaud, Alper, Mann, Kefalides, and Neilson.

Mikus, L. K. *See* Newman and Mikus.

Miller, P. J. *See* Stevenson, Dekaban, Miller, Benyajati, and Pearson.

Milton, A. D., and Fabre, J. W. Massive induction of donor-type class I and class II major histocompatibility complex antigens in rejecting cardiac allografts in the rat. 98

Minna, J. *See* Doyle, Martin, Funa, Gazdar, Carney, Martin, Linnoila, Cuttitta, Mulshine, Bunn, and Minna.

Mochizuki, D. Y. *See* Kronheim, March, Erb, Conlon, Mochizuki, and Hopp.

Møller, N. P. H. *See* Kofler, Noonan, Levy, Wilson, Møller, Dixon, and Theofilopoulos.

Mond, J. J. *See* Kruisbeek, Mond, Fowlkes, Carmen, Bridges, and Longo.

Morse, H. C., III, Roths, J. B., Davidson, W. F., Langdon, W. Y., Fredrickson, T. N., and Hartley, J. W. Abnormalities induced by the mutant gene, *lpr*. Patterns of disease and expression of murine leukemia viruses in SJL/J mice homozygous and heterozygous for *lpr*. 602

—, *See* Mosier, Yetter, and Morse.

Mosier, D. E., Yetter, R. A., and Morse, H. C., III. Retroviral induction of acute lymphoproliferative disease and profound immunosuppression in adult C57BL/6 mice. 766

Mosteller-Barnum, L. M. *See* Kiyono, Mosteller-Barnum, Pitts, Williamson, Michalek, and McGhee.

Mulé, J. J. *See* Rosenberg, Mulé, Spiess, Reichert, and Schwarz.

Mulshine, J. *See* Doyle, Martin, Funa, Gazdar, Carney, Martin, Linnoila, Cuttitta, Mulshine, Bunn, and Minna.

Muraguchi, A., Kehrl, J. F., Longo, D. L., Volkman, D. J., Smith, K. A., and Fauci, A. S. Interleukin 2 receptors on human B cells. Implications for the role of interleukin 2 in human B cell function. 181

Murray, H. W. *See* Lepay, Nathan, Steinman, Murray, and Cohn.

—, *See* Lepay, Steinman, Nathan, Murray, and Cohn.

Murre, C. *See* Weis and Murre.

N

Nakai, S.-I. *See* Sugamura, Nakai, Fujii, and Hinuma.

Nakayama, E., and Uenaka, A. Effect of in vivo administration of Lyt antibodies. Lyt phenotype of T cells in lymphoid tissues and blocking of tumor rejection. 345

Naparstek, Y., Duggan, D., Schattner, A., Madaio, M. P., Goni, F., Frangione, B., Stollar, B. D., Kabat, E. A., and Schwartz, R. S. Immunochemical similarities between monoclonal antibacterial Waldenstrom's macroglobulins and monoclonal anti-DNA lupus autoantibodies. 1525

Nathan, C. F. *See* Lepay, Nathan, Steinman, Murray, and Cohn.

—, *See* Lepay, Steinman, Nathan, Murray, and Cohn.

Neilson, E. G. *See* Clayman, Martinez-Hernandez, Michaud, Alper, Mann, Kefalides, and Neilson.

Nemazee, D. A. Immune complexes can trigger specific, T cell-dependent, autoanti-IgG antibody production in mice. 242

Nepom, G. T. *See* Jacobson, Nepom, Richert, Biddison, and McFarland.

Newbold, C. I. *See* McBride, Newbold, and Anand.

Newman, S. L., and Mikus, L. K. Deposition of C3b and iC3b onto particulate activators of the human complement system. Quantitation with monoclonal antibodies to human C3. 1414

Noonan, D. J. *See* Kofler, Noonan, Levy, Wilson, Møller, Dixon, and Theofilopoulos.

Nordan, R. P. *See* Potter, Wax, Anderson, and Nordan.

O

O'Hanley, P. *See* Schmidt, O'Hanley, and Schoolnik.

Okada, M. *See* Yodoi, Okada, Tagaya, Teshigawara, Fukui, Ishida, Ikuta, Maeda, Honjo, Osawa, Diamantstein, Tateno, and Yoshiki.

Oki, A., and Sercarz, E. T cell tolerance studied at the level of antigenic determinants. I. Latent reactivity to lysozyme peptides that lack suppressogenic epitopes can be revealed in lysozyme-tolerant mice. 897

Oravez, S. *See* Viola, Fromowitz, Oravez, Deb, and Schlom.

Orkin, S. H. *See* Ault, Antin, Ginsberg, Orkin, Rappeport, Keohan, Martin, and Smith.

Osawa, H. *See* Yodoi, Okada, Tagaya, Teshigawara, Fukui, Ishida, Ikuta, Maeda, Honjo, Osawa, Diamantstein, Tateno, and Yoshiki.

O'Shea, J. J. *See* Bohnsack, Kleinman, Takahashi, O'Shea, and Brown.

P

Panter, S. S., Sadrzadeh, S. M. H., Hallaway, P. E., Haines, J. L., Anderson, V. E., and Eaton, J. W. Hypohaptoglobinemia associated with familial epilepsy. 748

Papin, R. A. *See* Sundsmo, Chin, Papin, Fair, and Werb.

Parham, P. *See* Kipps, Parham, Punt, and Herzenberg.

Parker, D. C. *See* Tony and Parker.

Parnes, J. R. *See* Sukhatme, Vollmer, Erickson, Isobe, Croce, and Parnes.

Pauley, R. J. *See* Lopez, Pauley, and Lozzio.

Paulsen, G., Qvigstad, E., Gaudernack, G., Rask, L., Winchester, R., and Thorsby, E. Identification, at the genomic level, of an HLA-DR restriction element for cloned antigen-specific T4 cells. 1569

Pearson, M. L. *See* Stevenson, Dekaban, Miller, Benyajati, and Pearson.

Pekala, P. *See* Beutler, Mahoney, Le Trang, Pekala, and Cerami.

Perussia, B. *See* Degliantoni, Perussia, Mangoni, and Trinchieri.

Phillips, J. H., and Lanier, L. L. A model for the differentiation of human natural killer cells. Studies on the in vitro activation of Leu-11$^+$ granular lymphocytes with a natural killer-sensitive tumor cell, K562. 1464

Pitts, A. M. *See* Kiyono, Mosteller-Barnum, Pitts, Williamson, Michalek, and McGhee.

Poole, C. B. *See* Acuto, Campen, Royer, Hussey, Poole, and Reinherz.

Poon-King, T. *See* Fillit, Damle, Gregory, Volin, Poon-King, and Zabriskie.

Posnett, D. N. *See* Mayer, Posnett, and Kunkel.

—, *See* Bigler, Posnett, and Chiorazzi.

Potter, M., Wax, J. S., Anderson, A. O., and Nordan, R. P. Inhibition of plasmacytoma development in BALB/c mice by indomethacin. 996

Punt, J. *See* Kipps, Parham, Punt, and Herzenberg.

Q

Qvigstad, E. *See* Paulsen, Qvigstad, Gaudernack, Rask, Winchester, and Thorsby.

R

Rabellino, E. M. *See* Levene, Lamaziere, Broxmeyer, Lu, and Rabellino.

Rao, A. *See* Friedman, Sillcocks, Rao, Faas, and Cantor.

Rapoport, R. G. *See* Cohen, Rapoport, and Eisenberg.

Rappeport, J. M. *See* Ault, Antin, Ginsberg, Orkin, Rappeport, Keohan, Martin, and Smith.

Rask, L. *See* Paulsen, Qvigstad, Gaudernack, Rask, Winchester, and Thorsby.

Raum, M. G. *See* Barstad, Coligan, Raum, and Barbour.

Raychaudhuri, S., and Cancro, M. P. Cellular basis for neonatally induced T suppressor activity. Primary B cell maturation is blocked by suppressor-helper interactions restricted by loci on chromosome 12. 816

Reeves, W. H. Use of monoclonal antibodies for the characterization of novel DNA-binding proteins recognized by human autoimmune sera. 18

Reichert, C. M. *See* Rosenberg, Mulé, Spiess, Reichert, and Schwarz.

Reinherz, E. L. *See* Acuto, Campen, Royer, Hussey, Poole, and Reinherz.

Reisert, P. S. *See* Sairenji, Reisert, Spiro, Connolly, and Humphreys.

Reisfeld, R. A. *See* Schulz, Staffileno, Reisfeld, and Dennert.

Reynolds, C. W., Bonyhadi, M., Herberman, R. B., Young, H. A., and Hedrick, S. M. Lack of gene rearrangement and mRNA expression of the beta chain of the T cell receptor in spontaneous rat large granular lymphocyte leukemia lines. 1249

Ribiero, J. M. C., Makoul, G. T., Levine, J., Robinson, D. R., and Spielman, A. Antihemostatic, antiinflammatory, and immunosuppressive properties of the saliva of a tick, *Ixodes dammini*. 332

Richert, J. R. *See* Jacobson, Nepom, Richert, Biddison, and McFarland.

Riethmüller, G. *See* Holzmann, Johnson, Kaudewitz, and Riethmuller.

Robey, F. A., Jones, K. D., and Steinberg, A. D. C-reactive protein mediates the solubilization of nuclear DNA by complement in vitro. 1344

Robinson, D. R. *See* Ribiero, Makoul, Levine, Robinson, and Spielman.

Rodriguez de Cordoba, S., Lublin, D. M., Rubinstein, P., and Atkinson, J. P. Human genes for three complement components that regulate the activation of C3 are tightly linked. 1189

Roehm, N. *See* Epstein, Roehm, Marrack, Kappler, Davis, Hedrick, and Cohn.

Romani, N., Stingl, G., Tschachler, E., Witmer, M. D., Steinman, R. M., Shevach, E. M., and Schuler, G. The Thy-1-bearing cell of murine epidermis. A distinctive leukocyte perhaps related to natural killer cells. 1368

Ron, Y., and Sprent, J. Prolonged survival in vivo of unprimed B cells responsive to a T-independent antigen. 1581

Rose, N. R. *See* Wolfgram, Beisel, and Rose.

Rosenberg, S. A., Mulé, J. J., Spiess, P. J., Reichert, C. M., and Schwarz, S. L. Regression of established pulmonary metastases and subcutaneous tumor mediated by the systemic administration of high-dose recombinant interleukin 2. 1169

Rothbard, J. *See* Stephens, Whitney, Rothbard, and Schoolnik.

Rothenberg, E. *See* Lugo, Krishnan, Sailor, Koen, Malek, and Rothenberg.

Roths, J. B. *See* Morse, Roths, Davidson, Langdon, Fredrickson, and Hartley.

Royer, H. D. *See* Acuto, Campen, Royer, Hussey, Poole, and Reinherz.

Rubinstein, P. *See* Rodriguez de Cordoba, Lublin, Rubinstein, and Atkinson.

Ruezinsky, D. *See* Clarke, Huppi, Ruezinsky, Staudt, Gerhard, and Weigert.

S

Sachs, D. H. *See* Stroynowski, Forman, Goodenow, Schiffer, McMillan, Sharrow, Sachs, and Hood.

Sadrzadeh, S. M. H. *See* Panter, Sadrzadeh, Hallaway, Haines, Anderson, and Eaton.

Sailor, R. D. *See* Lugo, Krishnan, Sailor, Koen, Malek, and Rothenberg.

Sairenji, T., Reisert, P. S., Spiro, R. C., Connolly, T., and Humphreys, R. E. Inhibition of Epstein-Barr virus (EBV) release from the P3HR-1 Burkitt's lymphoma cell line by a monoclonal antibody against a 200,000 dalton EBV membrane antigen. 1097

Sakaguchi, S., Fukuma, K., Kuribayashi, K., and Masuda, T. Organ-specific autoimmune diseases induced in mice by elimination of T cell subset. I. Evidence for the active participation of T cells in a natural self-tolerance; deficit of a T cell subset as a possible cause of autoimmune disease. 72

Samarut, C. *See* Kim, Goidl, Samarut, Weksler, Thorbecke, and Siskind.

Santos, G. W. *See* Hess, Horwitz, Beschorner, and Santos.

Schattner, A. *See* Naparstek, Duggan, Schattner, Madaio, Goni, Frangione, Stollar, Kabat, and Schwartz.

Schiffer, S. G. *See* Stroynowski, Forman, Goodenow, Schiffer, McMillan, Sharrow, Sachs, and Hood.

Schilling, B. *See* Emmrich, Schilling, and Eichmann.

Schlom, J. *See* Viola, Fromowitz, Oravez, Deb, and Schlom.

Schmidt, M. A., O'Hanley, P., and Schoolnik, G. K. Gal-Gal pyelonephritis *Escherichia coli* pili linear immunogenic and antigenic epitopes. 705

Schmitt, C. *See* Lantz, Grillot-Courvalin, Schmitt, Fermand, and Brouet.

Schoolnik, G. K. *See* Guerina, Langermann, Schoolnik, Kessler, and Goldmann.

—, *See* Schmidt, O'Hanley, and Schoolnik.

—, *See* Stephens, Whitney, Rothbard, and Schoolnik.

Schuler, G., and Steinman, R. M. Murine epidermal Langerhans cells mature into potent immunostimulatory dendritic cells in vitro. 526

—, *See* Romani, Stingl, Tschachler, Witmer, Steinman, Shevach, and Schuler.

Schulz, G., Staffileno, L. K., Reisfeld, R. A., and Dennert, G. Eradication of established human melanoma tumors in nude mice by antibody-directed effector cells. 1315

Schwartz, R. S. *See* Ardman, Khiroya, and Schwartz.

—, *See* Naparstek, Duggan, Schattner, Madaio, Goni, Frangione, Stollar, Kabat, and Schwartz.

Schwarz, S. L. *See* Rosenberg, Mulé, Spiess, Reichert, and Schwarz.

Scott, J. R. *See* Fischetti, Jones, and Scott.

—, *See* Jones, Manjula, Johnston, Hollingshead, Scott, and Fischetti.

Seaman, W. E. *See* Wofsy and Seaman.

Sercarz, E. *See* Oki and Sercarz.

Sharrow, S. O. *See* Stroynowski, Forman, Goodenow, Schiffer, McMillan, Sharrow, Sachs, and Hood.

Shelhamer, J. *See* Marom, Shelhamer, Berger, Frank, and Kaliner.

Sher, A. *See* Joiner, Heiny, Kirchhoff, and Sher.

Shevach, E. M. *See* Romani, Stingl, Tschachler, Witmer, Steinman, Shevach, and Schuler.

Siegelman, M. H., Cleary, M. L., Warnke, R., and Sklar, J. Frequent biclonality and Ig gene alterations among B cell lymphomas that show multiple histologic forms. 850

Sillcocks, D. *See* Friedman, Sillcocks, Rao, Faas, and Cantor.

Silverstein, S. C. *See* Aderem, Wright, Silverstein, and Cohn.

Sirlin, S. *See* Stavnezer, Sirlin, and Abbott.

Siskind, G. W. *See* Kim, Goidl, Samarut, Weksler, Thorbecke, and Siskind.

Sklar, J. *See* Siegelman, Cleary, Warnke, and Sklar.

Smith, B. R. *See* Ault, Antin, Ginsberg, Orkin, Rappeport, Keohan, Martin, and Smith.

Smith, K. A. *See* Muraguchi, Kehrl, Longo, Volkman, Smith, and Fauci.

Spielman, A. *See* Ribiero, Makoul, Levine, Robinson, and Spielman.

Spiess, P. J. *See* Rosenberg, Mulé, Spiess, Reichert, and Schwarz.

Spiro, R. C. *See* Sairenji, Reisert, Spiro, Connolly, and Humphreys.

Sprent, J. *See* Ron and Sprent.

—, *See* Webb, Li, MacNeil, Marrack, Sprent, and Wilson.

Staffileno, L. K. *See* Schulz, Staffileno, Reisfeld, and Dennert.

Starkey, P. M. *See* Lee, Starkey, and Gordon.

Staudt, L. *See* Clarke, Huppi, Ruezinsky, Staudt, Gerhard, and Weigert.

Stavnezer, J., Sirlin, S., and Abbott, J. Induction of immunoglobulin isotype switching in cultured I.29 B lymphoma cells. Characterization of the accompanying rearrangements of heavy chain genes. 577

Steinberg, A. D. *See* Robey, Jones, and Steinberg.

Steinman, R. M. *See* Lepay, Nathan, Steinman, Murray, and Cohn.

—, *See* Lepay, Steinman, Nathan, Murray, and Cohn.

—, *See* Romani, Stingl, Tschachler, Witmer, Steinman, Shevach, and Schuler.

—, *See* Schuler and Steinman.

Stephens, D. S., Whitney, A. M., Rothbard, J., and Schoolnik, G. K. Pili of *Neisseria meningitis*. Analysis of structure and investigation of structural and antigenic relationships to gonococcal pili. 1539

Stevenson, H. C., Dekaban, G. A., Miller, P. J., Benyajati, C., and Pearson, M. L. Analysis of human blood monocyte activation at the level of gene expression. Expression of alpha interferon genes during activation of human monocytes by poly IC/LC and muramyl dipeptide. 503

Stingl, G. *See* Romani, Stingl, Tschachler, Witmer, Steinman, Shevach, and Schuler.

Stobo, J. D. *See* Imboden and Stobo.

Stollar, B. D. *See* Naparstek, Duggan, Schattner, Madaio, Goni, Frangione, Stollar, Kabat, and Schwartz.

Stroynowski, I., Forman, J., Goodenow, R. S., Schiffer, S. G., McMillan, M., Sharrow, S. O., Sachs, D. H., and Hood, L. Expression and T cell recognition of hybrid antigens with amino-terminal domains encoded by Qa-2 region of major histo-

compatibility complex and carboxyl termini of transplantation antigens. 935

Sugamura, K., Nakai, S.-I., Fujii, M., and Hinuma, Y. Interleukin 2 inhibits in vitro growth of human T cell lines carrying retrovirus. 1243

Sukhatme, V. P., Vollmer, A. C., Erickson, J., Isobe, M., Croce, C., and Parnes, J. R. Gene for the human T cell differentiation antigen Leu-2/T8 is closely linked to the light chain locus on chromosome 2. 429

Sundsmo, J. S., Chin, J. R., Papin, R. A., Fair, D. S., and Werb, Z. Factor B, the complement alternative pathway serine proteinase, is a major constitutive protein synthesized and secreted by resident and elicited mouse macrophages. 306

Sy, M.-S., Hayglass, K. T., and Benacerraf, B. T cell development in B cell-deficient mice. II. Serological characterization of suppressor T cell factors (TsF_1) produced in normal mice and in mice treated chronically with rabbit anti-mouse IgM antibodies. 1402

T

Tagaya, Y. *See* Yodoi, Okada, Tagaya, Teshigawara, Fukui, Ishida, Ikuta, Maeda, Honjo, Osawa, Diamantstein, Tateno, and Yoshiki.

Takahashi, T. *See* Bohnsack, Kleinman, Takahashi, O'Shea, and Brown.

Tateno, M. *See* Yodoi, Okada, Tagaya, Teshigawara, Fukui, Ishida, Ikuta, Maeda, Honjo, Osawa, Diamantstein, Tateno, and Yoshiki.

Taylor, H. P., and Dimmock, N. J. Mechanism of neutralization of influenza virus by secretory IgA is different from that of monomeric IgA or IgG. 198

Teshigawara, K. *See* Yodoi, Okada, Tagaya, Teshigawara, Fukui, Ishida, Ikuta, Maeda, Honjo, Osawa, Diamantstein, Tateno, and Yoshiki.

Theofilopoulos, A. N. *See* Hang, Aguado, Dixon, and Theofilopoulos.

—, *See* Kofler, Noonan, Levy, Wilson, Møller, Dixon, and Theofilopoulos.

Thomas, D. D., Baseman, J. B., and Alderete, J. F. Fibronectin mediates *Treponema pallidum* cytadherence through recognition of fibronectin cell-binding domain. 514

Thorbecke, G. J. *See* Kim, Goidl, Samarut, Weksler, Thorbecke, and Siskind.

Thorsby, E. *See* Paulsen, Qvigstad, Gaudernack, Rask, Winchester, and Thorsby.

Tien, P. *See* Aldritt, Tien, and Wang.

Tony, H.-P., and Parker, D. C. Major histocompatibility complex-restricted, polyclonal B cell responses resulting from helper T cell recognition of antiimmunoglobulin presented by small B lymphocytes. 223

Triglia, T. *See* Burns, Triglia, Werkmeister, Begley, and Boyd.

Trinchieri, G. *See* Degliantoni, Perussia, Mangoni, and Trinchieri.

Tschachler, E. *See* Romani, Stingl, Tschachler, Witmer, Steinman, Shevach, and Schuler.

U

Uenaka, A. *See* Nakayama and Uenaka.

V

Vainionpää, R. *See* Hyypiä, Korkiamäki, and Vainionpää.

Van Snick, J. *See* Coulie and Van Snick.

Viola, M. V., Fromowitz, F., Oravez, S., Deb, S., and Schlom, J. *ras* Oncogene p21 expression is increased in premalignant lesions and high grade bladder carcinoma. 1213

Volin, C. *See* Fillit, Damle, Gregory, Volin, Poon-King, and Zabriskie.

Volkman, D. J. *See* Muraguchi, Kehrl, Longo, Volkman, Smith, and Fauci.

Vollmer, A. C. *See* Sukhatme, Vollmer, Erickson, Isobe, Croce, and Parnes.

W

Wahl, S. M., Malone, D. G., and Wilder, R. L. Spontaneous production of fibroblast-activating factor(s) by synovial inflammatory cells. A potential mechanism for enhanced tissue destruction. 210

Wang, C. C. *See* Aldritt, Tien, and Wang.

Warner, J. F., and Dennert, G. Bone marrow graft rejection as a function of antibody-directed natural killer cells. 563

—, *See* Bukowski, Warner, Dennert, and Welsh.

Warnke, R. *See* Siegelman, Cleary, Warnke, and Sklar.

Wax, J. S. *See* Potter, Wax, Anderson, and Nordan.

Webb, S. R., Li, J. H., MacNeil, I., Marrack, P., Sprent, J., and Wilson, D. B. T cell receptors for responses to Mls determinants and allo-H-2 determinants appear to be encoded on different chromosomes. 269

Weigert, M. *See* Clarke, Huppi, Ruezinsky, Staudt, Gerhard, and Weigert.

Weis, J. H., and Murre, C. Differential expression of $H\text{-}2D^d$ and $H\text{-}2L^d$ histocompatibility antigens. 356

Weksler, M. E. *See* Kim, Goidl, Samarut, Weksler, Thorbecke, and Siskind.

Welsh, R. M. *See* Bukowski and Welsh.

—, *See* Bukowski, Warner, Dennert, and Welsh.

Werb, Z. *See* Sundsmo, Chin, Papin, Fair, and Werb.

Werkmeister, J. A. *See* Burns, Triglia, Werkmeister, Begley, and Boyd.

White-Scharf, M. E. *See* Boersch-Supan, Agarwal, White-Scharf, and Imanishi-Kari.

Whitney, A. M. *See* Stephens, Whitney, Rothbard, and Schoolnik.

Wilder, R. L. *See* Wahl, Malone, and Wilder.

Williamson, S. I. *See* Kiyono, Mosteller-Barnum,

Pitts, Williamson, Michalek, and McGhee.
Willoughby, J. B. *See* Gerberick, Willoughby, and Willoughby.
Willoughby, W. F. *See* Gerberick, Willoughby, and Willoughby.
Wilson, D. B. *See* Webb, Li, MacNeil, Marrack, Sprent, and Wilson.
Wilson, M. C. *See* Kofler, Noonan, Levy, Wilson, Møller, Dixon, and Theofilopoulos.
Winchester, R. *See* Paulsen, Qvigstad, Gaudernack, Rask, Winchester, and Thorsby.
Witmer, M. D. *See* Romani, Stingl, Tschachler, Witmer, Steinman, Shevach, and Schuler.
Wofsy, D., and Seaman, W. E. Successful treatment of autoimmunity in NZB/NZW F_1 mice with monoclonal antibody to L3T4. 378
Wolfgram, L. J., Beisel, K. W., and Rose, N. R. Heart-specific autoantibodies following murine coxsackievirus B_3 myocarditis. 1112
Wright, S. D. *See* Aderem, Wright, Silverstein, and Cohn.

Y

Yetter, R. A. *See* Mosier, Yetter, and Morse.
Yodoi, J., Okada, M., Tagaya, Y., Teshigawara, K., Fukui, K., Ishida, N., Ikuta, K.-I., Maeda, M., Honjo, T., Osawa, H., Diamantstein, T., Tateno, M., and Yoshiki, T. Rat lymphoid cell lines producing human T cell leukemia virus. II. Constitutive expression of rat interleukin 2 receptor. 924
Yoshiki, T. *See* Yodoi, Okada, Tagaya, Teshigawara, Fukui, Ishida, Ikuta, Maeda, Honjo, Osawa, Diamantstein, Tateno, and Yoshiki.
Young, H. A. *See* Reynolds, Bonyhadi, Herberman, Young, and Hedrick.

Z

Zabriskie, J. *See* Fillit, Damle, Gregory, Volin, Poon-King, and Zabriskie.
Zauderer, M. *See* Faherty, Johnson, and Zauderer.
Zucker-Franklin, D. *See* Fuks and Zucker-Franklin.